| | L # | Hits | Search Text | DBs | Time Stamp |
|---|-----|---------|---|---|---------------------|
| 1 | L1 | 11528 | propylene near5 ethylene near5 block | USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB | 2002/01/14 07:52 |
| 2 | L2 | 253721 | propylene near2 homopolymer or polypropylene | USPAT; US-PGPU | 2002/01/14 07:52 |
| 3 | L3 | 45921 | ethylene near5 propylene near5 copolymer | USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB | 2002/01/14 07:52 |
| 4 | L4 | 126248 | elongation | USPAT; US-PGPU | 2002/01/14 07:52 |
| 5 | L5 | 1514917 | melt adj flow adj rate or mfr | USPAT; US-PGPU | 2002/01/14 07:53 |
| 6 | L6 | 9349 | flexural adj modulus | USPAT; US-PGPU B; EPO; | 2002/01/14 07:53 |
| 7 | L7 | 10284 | izod | USPAT; US-PGPU | 2002/01/14 07:53 |
| 8 | L8 | 16744 | (methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol or butylphenyl or butyl adj phenyl) adj5 phosphate or nucleating or nucleator | :JPO; : | 2002/01/14 07:53 |
| 9 | L9 | 3178 | 1 same 2 same 3 | : TDA : | 2002/01/14 07:53 |

| | L # | Hits | Search Text | DBs | Time Stamp |
|----|-----|--------|---|---|---------------------|
| 10 | L10 | 346 | 8 and 9 | USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB | 2002/01/14 07:53 |
| 11 | L11 | 841 | 9 and (4 or 6 or 7) | USPAT; US-PGPU | 2002/01/14 07:53 |
| 12 | L12 | 222 | 10 and (4 or 6 or 7) | USPAT; US-PGPU | 2002/01/14 07:56 |
| 13 | L13 | 1420 | 9 and xylene near5 soluble or xylene near5 insoluble | USPAT; US-PGPU | 2002/01/14 08:39 |
| 14 | L14 | 104153 | granulat\$3 | USPAT; US-PGPU | 2002/01/14 07:54 |
| 15 | L15 | 6030 | relaxation adj time | USPAT; US-PGPU B; EPO; | |
| 16 | L16 | 1091 | 15 near5 (high\$2 or low\$2 or single or one or increas\$3 or decreas\$3) | USPAT; US-PGPU | 2002/01/14 10:22 |
| 17 | L17 | 1912 | 1 near10 2 near10 3 | USPAT; US-PGPU | 2002/01/14 07:57 |
| 18 | L18 | 231 | 8 and 17 | : TDM : | 2002/01/14 07:57 |

| | L# | Hits | Search Text | DBs | Time Stamp |
|----|-----|------|---|---|---------------------|
| 19 | L20 | 15 | 1 and 16 | USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB | 2002/01/14 07:57 |
| 20 | L19 | 156 | 18 and (4 or 6 or 7) | USPAT; US-PGPU | 2002/01/14 07:58 |
| 21 | L21 | 1344 | 18 and xylene near5 soluble or xylene near5 insoluble | USPAT; US-PGPU | 2002/01/14 08:42 |
| 22 | L22 | 6 | 9 and 15 | USPAT; US-PGPU | 2002/01/14 08:44 |
| 23 | L23 | 19 | 18 and xylene near5 soluble and xylene near5 insoluble | USPAT; US-PGPU | 2002/01/14 08:42 |
| 24 | L24 | 38 | 1 and 15 | USPAT; US-PGPU B; EPO; | 2002/01/14 08:46 |
| 25 | L25 | 3 | 3 same 16 | USPAT; US-PGPU | 2002/01/14 08:46 |
| 26 | L26 | 54 | 3 and 16 | USPAT; US-PGPU B; EPO; | |
| 27 | L27 | 63 | 9 and (4 and 5 and 6 and 7) | USPAT; US-PGPU B; EPO; | 2002/01/14 08:49 |

| | L # | Hits | Search Text | DBs | Time Stamp |
|----|-----|------|--|---|---------------------|
| 28 | L28 | 33 | 27 and 8 | USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB | 2002/01/14 10:27 |
| 29 | L29 | 1008 | 15 near5 (high\$3 or low\$3 or increas\$3 or decreas\$3 or small or large) | USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM_TDB | 2002/01/14 10:24 |
| 30 | L31 | 50 | (1 or 3) and 29 | USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM_TDB | 2002/01/14 10:28 |
| 31 | L30 | 47 | 15 near5 uniform\$3 | | 2002/01/14 10:29 |

| | Type | Hits | Search Text | DBs |
|----|------|---------|---|--|
| 1 | BRS | 9 | jp-09227735-\$.did. or jp-09183874-\$.did. or jp-09183873-\$.did. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 7 | BRS | 11515 | propylene near5 ethylene near5 block | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 3 | BRS | 4486 | (methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol) |); US-PGPUB; E |
| 4 | BRS | 81 | or butyl adj | USPAT; US-PGPUB; EPO; JPO; DERWENT: IBM TOB |
| 2 | BRS | 1514062 | melt adj flow adj rate or mfr | ; US-PGPUB; E |
| 9 | BRS | 203 | xylene near5 insolubles! | ₽¤ ← |
| 7 | BRS | 347 | xylene near5 solubles! | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 8 | BRS | 7326 | relaxation near3 time | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 9 | BRS | 9342 | flexural adj modulus | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 10 | BRS | 6125 | izod adj3 strength | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 11 | BRS | 5825 | tensile adj elongation | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 12 | BRS | 121 | (propylene near5 ethylene near5 block) and ((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol) or ((butylphenol or butyl adj phenol) adj5 phosphate) and ((melt adj flow adj rate or mfr) (xylene near5 insolubles!) (xylene near5 solubles!) (relaxation near3 time) (flexural adj modulus) (izod adj3 strength) (tensile adj elongation)) | USPAT; US-PGPU JPO; DERWENT; |
| 13 | BRS | 11047 | melt adj flow adj rate | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 14 | BRS | 7.2 | (propylene near5 ethylene near5 block) and ((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol)) or ((butylphenol or butyl adj phenol) adj5 phosphate)) and ((melt adj flow adj rate) (xylene near5 insolubles!) (xylene near5 solubles!) (relaxation near3 time) (flexural adj modulus) (izod adj3 strength) (tensile adj elongation)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 15 | BRS | 42 | (methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol) adj5 phosphate | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|----|------|-------|---|--|
| 16 | BRS | 1453 | xylene near5 (insolubles! or insoluble) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 17 | BRS | 3144 | xylene near5 (solubles! or soluble) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 18 | BRS | 13583 | nucleating adj agent or nucleator | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 19 | BRS | 402 | (propylene near5 ethylene near5 block) and ((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol) adj5 phosphate) or ((butylphenol or butyl adj phenol) adj5 phosphate) or (nucleating adj agent or nucleator)) and ((melt adj flow adj rate) (xylene near5 (insolubles! or insoluble)) (xylene near5 (solubles! or soluble)) (relaxation near3 time) (flexural adj modulus) (izod adj3 strength) (tensile adj elongation)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 20 | BRS | v | (propylene near5 ethylene near5 block) and ((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol) adj5 phosphate) or ((butylphenol or butyl adj phenol) adj5 phosphate)) and ((melt adj flow adj rate) (xylene near5 (insolubles! or insoluble)) (xylene near5 (solubles! or soluble)) (relaxation near3 time) (flexural adj modulus) (izod adj3 strength) (tensile adj elongation)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 21 | BRS | 10 | ock) and s) adj5 dj5 ladj na?11) near5 near5 | and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 22 | BRS | 2 | ("4565844" "6201090").PN. | USPAT |
| 23 | BRS | 402 | (propylene near5 ethylene near5 block) and (nucleating adj agent or nucleator) and ((melt adj flow adj rate) (xylene near5 (insolubles! or insoluble)) (xylene near5 (solubles! or soluble)) (relaxation near3 time) (flexural adj modulus) (izod adj3 strength) (tensile adj elongation)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| DBs | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | ••••••••••••••••••••••••••••••••••••••• | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
|-------------|---|--|--|---|---|--|--|--|---|--|---|
| Search Text | ((propylene near5 ethylene near5 block) and (nucleating adj agent or nucleator) and ((melt adj flow adj rate) (xylene near5 (insolubles! or insoluble)) (xylene near5 (solubles! or soluble)) (relaxation near3 time) (flexural adj modulus) (izod adj3 strength) (tensile adj elongation))) and granulat\$4 | <pre>(methylenebis or methylene adj bis) adj5 (butylphenyl or butyl adj phenyl) adj5 phosphate</pre> | (propylene near5 ethylene near5 block) and (methylenebis or methylene adj bis) adj5 (butylphenyl or butyl adj phenyl) adj5 phosphate) and ((melt adj flow adj rate) (xylene near5 (insolubles! or insoluble)) (xylene near5 (solubles! or soluble)) (relaxation near3 time) (flexural adj modulus) (izod adj3 strength) (tensile adjelongation)) | (((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol)) adj5 phosphate or ((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol) adj5 phosphate)) near10 (structure or formula) | (na?11 or na11) near10 (structure or formula) | formula near10 ethylene near10 (relaxation near3 time) | ethylene near10 (relaxation near3 time) | (propylene near5 ethylene near5 block) same (methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol) adj5 phosphate) | (propylene near5 ethylene near5 block) and (methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol) adj5 phosphate) | near5 ethylene a?11\$) | (nucleating or nucleator) near10 (structure or formula) |
| Hits | 6 9 | 189 | 30 | н | 4 | 0 | 22 | 0 | 11 | 11 | 1212 |
| Туре | BRS | BRS | BRS | BRS | BRS | BRS | BRS | BRS | BRS | BRS | BRS |

26

25

24 BRS

28

27 BRS

29

30

31

33 BRS

34 BRS

32 BRS

| | Type | Hits | Search Text | DBs |
|----------|------|------|--|--|
| 35 | BRS | 39 | (propylene near5 ethylene near5 block) and (nucleating or nucleator) near10 (structure or formula)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 36 | BRS | 189 | (methylenebis or methylene adj2 bis or methylene-bis) adj5 (butylphenyl or butyl adj phenyl) adj5 phosphate | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 37 | BRS | 33 | (propylene near5 ethylene near5 block) and (methylenebis or methylene adj2 bis or methylene-bis) adj5 (butylphenyl or butyl adj phenyl) adj5 phosphate) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 38 | BRS | 108 | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| <u>გ</u> | BRS | 29 | ((propylene near5 ethylene near5 block) and (xylene near5 (insolubles! or insoluble)) and (xylene near5 (solubles! or soluble))) and mumum | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 40 | BRS | 25 | (((propylene near5 ethylene near5 block) and (xylene near5 (insolubles! or insoluble)) and (xylene near5 (solubles! or soluble)) and mmmm) and (nucleating adj agent or nucleator) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 41 | BRS | 3 | equation near10 ethylene near10 (relaxation near3 time) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 42 | BRS | ೯ | relationship near10 ethylene near10 (relaxation near3 time) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 43 | BRS | 1 | <pre>(propylene near5 ethylene near5 block) and izod and elongation and (relaxation near3 time)</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 44 | BRS | 177 | <pre>(propylene near5 ethylene near5 block) and izod and elongation and (flexural adj modulus)</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 45 | BRS | 09 | ((propylene near5 ethylene near5 block) and izod and elongation and (flexural adj modulus)) and (nucleating adj agent or nucleator) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 46 | BRS | 54 | (xylene near5 (insolubles! or insoluble)) near10 (stereoregularity or isotactic adj pentad or mmmm) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 47 | BRS | | | DERWENT |
| 48 | BRS | 4 | <pre>(propylene near5 ethylene near5 block) and (relaxation near3 time) near5 single near5 nmr</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 49 | BRS | 1 | | DERWENT |
| 50 | BRS | 9 | jp-07025961-\$.did. or jp-07247311-\$.did. or jp-09176227-\$.did. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|----|------|-------|--|--|
| 51 | IS&R | 365 | (524/117).ccLs. | USPAT; US-PGPUB; EPO; JPO; DERWENT: IBM TDR |
| 52 | BRS | 78 | ((524/117).CCLS.) and (nucleating adj agent or nucleator) | DERWENT; IBM |
| 53 | BRS | 43 | cxs and (propylene near5 ethylene near5 block) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 54 | BRS | 6 | cxis! and (propylene near5 ethylene near5 block) |); US-PGPUB; E |
| 55 | BRS | 44 | <pre>(propylene near5 ethylene near5 block) same (xylene near5 (insolubles! or insoluble)) same (xylene near5 (solubles! or soluble))</pre> | IB, E |
| 26 | BRS | 1 | 1982-93278E.NRAN. | DERWENT |
| 57 | BRS | n | wo-9965956-\$.did. or wo-9738033-\$.did. | USPAT; US-PGPUB; EPO; JPO; DERWENT: TRM TOR |
| 28 | BRS | 1 | 1997-512664.NRAN. | : 1 |
| 59 | IS&R | 2 | ("5563194").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 09 | BRS | 2 | (("5563194").PN.) and block | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 61 | BRS | 108 | <pre>(propylene near5 ethylene near5 block) and (xylene near5 (insolubles! or insoluble)) and (xylene near5 (solubles! or soluble))</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 62 | BRS | 64 | ((propylene near5 ethylene near5 block) and (xylene near5 (insolubles! or insoluble)) and (xylene near5 (solubles! or soluble)) not ((propylene near5 ethylene near5 block) same (xylene near5 (insolubles! or insoluble)) same (xylene near5 (solubles! or soluble))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 63 | BRS | 13560 | (polyethylene or ethylene) near5 (polypropylene or propylene) near5 block | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 64 | BRS | 3152 | (xylene or paraxylene) near5 soluble | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 65 | BRS | 1340 | (xylene or paraxylene) near5 insoluble | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 99 | BRS | 6026 | relaxation adj time | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 67 | BRS | 913 | isotactic adj pentad adj fraction or mmmm | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 89 | BRS | 14210 | nucleating adj agent or nucleator or (butylphenol or butylphenyl or butyl adj (phenol or phenyl)) adj5 phosphate | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 69 | BRS | 11047 | ate | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |

| | туре | Hits | Search Text | DBs |
|----|------|--------|---|--|
| 70 | BRS | 105 | ((polyethylene or ethylene) near5 (polypropylene or propylene) near5 block) and ((xylene or paraxylene) near5 soluble) and ((xylene or paraxylene) near5 insoluble) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 71 | BRS | 29 | and and | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 72 | BRS | 62 | ((xylene or paraxylene) near5 insoluble) same (isotactic adj pentad adj fraction or mumum) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 73 | BRS | 25 | (((xylene or paraxylene) near5 insoluble) same (isotactic adj pentad adj fraction or mmmm)) and ((polyethylene or ethylene) near5 (polypropylene or propylene) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 74 | BRS | 6 | near5 near5 block) and nucleating adj phenol or enol or phenyl)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 75 | BRS | 50 | ((polyethylene or ethylene) near5 (polypropylene or propylene) near5 block) and (relaxation adj time) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 92 | BRS | 12 | ((xylene or paraxylene) near5 soluble) same (relaxation adj time) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 77 | BRS | 11098 | modulus near3 flexur\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 78 | BRS | 10276 | izod | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 79 | BRS | 126126 | elongation | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB |
| 80 | BRS | 219 | ((polyethylene or ethylene) near5 (polypropylene or propylene) near5 block) and (modulus near3 flexur\$2) and izod and elongation | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 81 | BRS | 79 | (((polyethylene or ethylene) near5 (polypropylene or propylene) near5 block) and (modulus near3 flexur\$2) and izod and elongation) and (nucleating adj agent or nucleator or (butylphenol or butylphenyl or butyl adj (phenol or phenyl)) adj5 phosphate) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 82 | BRS | 5.5 | izod near5 (kj or j) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|----|------|--------|--|--------------------------------|
| 83 | BRS | | izod near10 (kj?m or j?m) | USPAT; US-PGPUB; EPO; |
| 84 | BRS | BRS 62 | ((polypropylene or ethylene) near5 (polypropylene or propylene) near5 block) and JPO; DERWENT; IBM_TDB (izod near10 (kj?m or j?m)) | ock) and JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs | Time Stamp |
|---|------------|-------|--|---|---------------------|
| 1 | L5 | 11528 | ethylene near5 propylene near5 block | USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB | 2002/01/14 13:05 |
| 2 | L1 | 7 | relaxation adj time near10 (mfr or melt adj flow adj rate or ipf or isotactic) | USPAT; US-PGPU B; EPO; | 2002/01/14 13:35 |
| 3 | L8 | 1 | 5 and 7 | USPAT; US-PGPU | 2002/01/14 13:10 |
| 4 | L6 | 13 | 5 near10 granulat\$3 | USPAT; US-PGPU | |
| 5 | L 9 | 4304 | granulat\$3 near5 (pelletiz\$4 or knead\$3) | USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB | 2002/01/14 13:21 |
| 6 | L10 | 9 | 5 same 9 | USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB | 2002/01/14 13:17 |
| 7 | L11 | 2390 | extruder near5 granulat\$3 | USPAT; US-PGPU | 2002/01/14 13:17 |
| 8 | L12 | 86 | banbury near5 granulat\$3 | USPAT; US-PGPU B; EPO; | 2002/01/14 13:17 |
| 9 | L13 | 65 | (11 or 12) and 5 | | 2002/01/14 13:17 |

| | L # | Hits | Search Text | DBs | Time Stamp |
|----|-----|------|---|---|---------------------|
| 10 | L14 | 6 | (11 or 12) same 5 | USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB | 2002/01/14 13:21 |
| 11 | L15 | 1997 | granulat\$3 near5 (pellet) | USPAT; US-PGPU B; EPO; JPO; DERWENT; | 2002/01/14 13:21 |
| 12 | L16 | 5 | 15 same 5 | IBM TDB USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM TDB | 2002/01/14 13:21 |
| 13 | L7 | 243 | relaxation adj time near10 calculat\$3 | USPAT; US-PGPU | 2002/01/14 13:28 |
| 14 | L17 | 18 | relaxation adj time same (ethylene near5 propylene) | USPAT; US-PGPU | |
| 15 | L18 | 7 | relaxation adj time and 1 | USPAT; US-PGPU B; EPO; | 2002/01/14 13:37 |
| 16 | L19 | 6 | 7 and (ethylene near5 propylene) | USPAT; US-PGPU | 2002/01/14 13:28 |
| 17 | L20 | 8 | 7 near10 (polymer or copolymer) | | 2002/01/14 13:29 |
| 18 | L21 | 150 | relaxation adj time near10 (formula or relationship) | | 2002/01/14 13:30 |

| | L# | Hits | Search Text | DBs | Time Stamp |
|----|-----|------|---------------------------|---|---------------------|
| 19 | L22 | 19 | tau near10 (mfr or ipf) | USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM_TDB | 2002/01/14 13:36 |
| 20 | L23 | 38 | relaxation adj time and 5 | USPAT; US-PGPU B; EPO; JPO; DERWENT; IBM_TDB | 2002/01/14 13:37 |